




Now with
extended
technology

Bernafon Alpha XT
Inspired by the **best**



Hybrid Technology™
taken to the **next level**



Extended technology with Bernafon Alpha XT



Next-level **Hybrid Technology™** now works even more efficiently. Thanks to the addition of the new Hybrid Sound Care™ feature, which removes noise at the start of the signal processing.





Hybrid Sound Care™ efficiently protects against both wind and contact noise. Located at the start of the sound processing, it feeds a cleaner signal into the other features of Hybrid Technology™. The SNR is improved, which has been shown to reduce listening effort.



Bernafon Alpha XT is available in the popular miniRITE T R and the practical miniBTE T R styles. The easy-to-use rechargeable hearing aids provide power for a full day and conveniently recharge with one of **two charger options**.



The new Bernafon App offers your clients intuitive hearing aid control and remote support, now all available in one app. Combined with the extensive connectivity offering of Bernafon Alpha XT, your clients can benefit from easy direct sound streaming, hearing aid control, and remote support at their fingertips.

OASIS*nxt*

The Bernafon Oasis^{nxt} fitting software offers additional flexibility for a personalized fit. Transient Noise Reduction comes with additional strengths. And new Conversation Data tracks your clients' surrounding sound environment and conversations over time, providing you with valuable counseling input to discuss the hearing journey with your clients.

Next-level Hybrid Technology™


Hybrid Sound Care™

This high-precision feature effectively protects against wind and contact noise with 500 adjustments per second, across 24 frequency bands.

Hybrid Noise Management™

High-resolution noise management with precision in 24 frequency bands performs up to 36,000 signal estimations per second.

New in
Alpha XT



Hybrid Balancing™

Personalized speech and noise balancing is based on the client's situational sound preferences.

Hybrid Feedback Cancellor™

Feedback is eliminated super fast and accurately in both static and dynamic conditions with up to 126,000 measurements per second.

Hybrid Sound Processing™

Two parallel sound processing strategies work in real time and with high precision across the entire frequency range based on up to 48,000 signal estimations per second.

Hybrid Sound Care™ solves a well-known problem

Wind Noise Protector



Strong wind can saturate and cause movement across the hearing aid microphones, overpowering the target signal. The Wind Noise Protector analyzes the varying signals from the front and rear microphones, then detects and reduces wind noise across all 24 frequency bands. This helps preserve the speech signal for improved speech clarity and aims to provide additional listening comfort in windy situations.

Contact Noise Protector



Users may face contact noise problems regularly, especially while wearing glasses or brushing hair away from their face. Traditional hearing aids often amplify these types of noises. The Contact Noise Protector detects these noises and helps prevent their amplification.

- **Better processing efficiency due to cleaner input signal**
- **Improved speech clarity due to frequency-specific attenuation**
- **Reduced contact noise**
- **Designed to improve listening comfort in windy situations**




Alpha XT is available in versatile and elegant behind-the-ear hearing aids in price points 9 / 7 / 5

Wide range of domes and custom molds
ensure a secure and comfortable fit

LED light
indicates power status

Versatile and practical
with earhook and custom mold or instant-fit thin tube option

in 3 hours



in 60 minutes

in 30 minutes




LED light
indicates power status



Push button(s)
change program and volume



in 3.5 hours



in 60 minutes

in 30 minutes

Ergonomic design for high wearing comfort and a secure positioning behind the ear

Available with **rechargeable** lithium-ion or non-rechargeable zinc-air battery



Bluetooth® connectivity streams sound from external audio devices



Telecoil connects to available induction loop systems in public places



Easier handling with "low battery" spoken indicator

Dust and water-resistant coating extends durability (IP68 rated)



sand beige
sand beige



metallic silver
metallic anthracite



metallic anthracite
metallic anthracite



sand beige
metallic anthracite



antique bronze
metallic anthracite



metallic silver
metallic silver



metallic anthracite
metallic silver



sand beige
metallic silver



cocoa brown
metallic silver



jet black
metallic silver

Feature overview

	Alpha XT 9	Alpha XT 7	Alpha XT 5
Hybrid Technology™			
Hybrid Sound Processing™	●	●	●
Frequency bandwidth	10 kHz	8 kHz	8 kHz
Hybrid Balancing™	●	●	–
Speech Balancer	3 options	2 options	●
Noise Balancer	4 options	2 options	–
Hybrid Noise Management™	●	●	●
Smart Noise Reduction	4 options	4 options	3 options
Smart Directionality ¹	4 options	4 options	4 options
Dynamic States	3 options	2 options	–
Omni States	2 options	2 options	–
Hybrid Feedback Canceller™	●	●	●
Hybrid Sound Care™	●	●	●
Wind Contact Noise Protector	●	●	●
Speech			
Low Frequency Enhancer ²	●	●	●
Frequency Composition ^{next}	●	●	●
Comfort			
Binaural Noise Manager ³	●	●	–
Transient Noise Reduction	6 options	5 options	4 options
Wind Noise Manager ¹	–	–	–
Dynamic Range Extender	●	●	–
Soft Noise Manager	●	●	●
Directionality controls¹			
Dynamic	●	●	●
Adaptive Full Directionality	●	●	●
Fixed Directionality	●	●	●
Fixed Omni	●	●	●
Omni Directional	●	●	–
True Directionality Plus	●	●	–
Individualization			
Personalization	●	●	●
Fitting bands	24	20	18
Program options ⁴ / memories ⁵	13/4	12/4	12/4
Music Experience ⁵	●	●	●
Binaural coordination: VC, program changes ^{3,5}	●	●	●
Automatic Adaptation Manager	●	●	●
Transition	4 options	3 options	2 options
Data Logging	●	●	●
Conversation Data	●	●	●
Spoken indicators	●	●	●
Tinnitus SoundSupport ^{3,6}	●	●	●
CROS compatibility ⁷	●	●	●

The following footnotes apply only to Alpha custom instruments. Consult the model overview for style specific differences:

¹ Requires directional microphones (except "Fixed Omni")

² Requires Bluetooth®

³ Requires NFMI

⁴ Can vary if no telecoil present

⁵ Requires control function (push button or Bluetooth®)

⁶ Requires push button

⁷ Not available for custom instruments

Established in 1946, Bernafon representatives and employees in over 70 countries have worked ever since in the spirit and tradition of our founders to develop and market solutions that help people with hearing difficulties. With leading technology, high performance products, and outstanding support, we strive to deliver beyond expectations. Our Swiss values, together with technological competence, passion, and true partnerships, help us fulfill our goal:

Together we empower people to hear and communicate better.

For more information on our hearing instruments, visit our Bernafon website.

Bernafon
Low Waters Road
Hamilton
ML3 7QE
www.bernafon.co.uk

SOUND 
OF SWITZERLAND



Bernafon Companies

Australia · Canada · China · Denmark · Finland · France · Germany · Italy · Japan · Korea · Netherlands · New Zealand · Poland · South Africa · Spain · Sweden · Switzerland · Turkey · UK · USA

www.bernafon.co.uk

Bernafon is part of the Demant Group.

bernafon 
Your hearing · Our passion